Arabian Journal of Science

ISSN:2308-5703

Impact factor:13.5 *International Multidisciplinary Online Journal* July, 2026

ANALYSIS OF THE PHYSICO-CHEMICAL PROPERTIES OF ALLOYED PRESS-FORMED BRICKS

Askarov Xasanjon
Associate Professor, Department of Civil Engineering and Architecture
Faculty of Civil Engineering and Electric Power Engineering, Andijan State Technical University
Doi: https://doi.org/10.5281/zenodo.21317394

Abstract: This article examines the physical and chemical properties of alloyed press-formed bricks, highlighting the impact of various additives on the material's structure, density, porosity, thermal conductivity, mechanical strength, and moisture resistance.

Keywords: Press-formed brick, building materials, physical properties, chemical properties, density, porosity, thermal conductivity.

Introduction

Press-formed bricks represent a modern and advanced category of products in the construction materials industry. They are produced by integrating various additives into the traditional brick composition, causing them to differ significantly from conventional bricks in terms of their physical and chemical properties. Given the growing contemporary demand for energy-efficient, durable, and long-lasting building materials, press-formed bricks are being widely utilized.

Clay remains the primary raw material in the production of press-formed bricks; however, fly ash, metallurgical slag, limestone powder, gypsum, various oxides, and occasionally polymeric substances are introduced as supplementary components. These additives alter the internal matrix of the brick to enhance its functional properties. For instance, the inclusion of fly ash sourced from thermal power plants reduces the density of the brick, making it lighter and thereby facilitating transportation and construction processes. Among the physical characteristics of press-formed bricks, density holds paramount importance. Density directly influences the material's weight, structural integrity, and thermal conductivity. While high-density bricks possess substantial strength, they exhibit rapid thermal transmission. Conversely, bricks with lower density and porous structures retain heat more efficiently, enhancing the thermal insulation of buildings. Consequently, during the alloying (modification) process, brick density is intentionally regulated to meet specific requirements.

Porosity is another crucial physical indicator. As the degree of porosity increases, the thermal insulation performance of the brick improves, although its mechanical strength may experience a slight reduction. Finding an optimal equilibrium during manufacturing is therefore vital. Through the use of specialized additives, press-formed bricks can simultaneously achieve sufficient mechanical strength and excellent thermal retention capabilities. The thermal conductivity index carries profound significance in modern construction. Press-formed bricks generally exhibit low thermal conductivity, categorizing them as energy-efficient building materials. Buildings constructed from such bricks retain heat effectively during winter while maintaining a relatively cool indoor temperature during summer. Mechanical strength, particularly compressive strength, is a primary quality indicator for bricks. In press-formed bricks, this parameter is augmented through additives. For instance, metallic oxides and certain mineral additives reinforce the crystalline structure of the brick. As a result, these bricks can withstand high load capacities and can be successfully applied in the construction of multi-story buildings.

Moisture absorption performance is also a critical factor. Ordinary bricks tend to absorb high amounts of water, which subsequently leads to their degradation. In contrast, the incorporation of specific hydrophobic additives in press-formed bricks minimizes water absorption. This explicitly ensures frost resistance and extends the service life of the material.

Chemically, press-formed bricks exhibit high stability. They demonstrate greater resistance to aggressive environments, such as exposure to acids or alkalis. This attribute allows them to be deployed in industrial buildings, chemical plants, and other harsh environments. During the firing phase, new mineral compounds are synthesized in the presence of these additives, which enhances the overall durability of the brick.

Furthermore, the aesthetic appearance of press-formed bricks plays an important role. Diverse oxides are utilized to impart color, which remains stable over extended periods. Consequently, these bricks serve not only structural functions but also decorative purposes.

During the manufacturing process, alloying additives also positively impact the production technology itself. In certain instances, the required firing temperature is lowered, thereby reducing energy consumption. In addition, utilizing industrial waste offers environmental benefits, actively contributing to nature conservation and sustainability.

Overall, press-formed bricks offer distinct advantages, including high strength, superior thermal insulation, chemical stability, and an extended operational lifespan. However, their production process can be more complex compared to traditional brickmaking, and certain additives may incur supplementary costs. Nonetheless, these drawbacks can be mitigated through proper technological approaches.

The production sector of press-formed bricks is expected to advance further in the future. Opportunities exist to manufacture even higher-quality products based on innovative new additives, eco-friendly technologies, and energy-efficient solutions. Therefore, press-formed bricks represent one of the most vital and promising avenues in the modern construction industry.

References

1. Karimov, R.X., & Abdullayev, B.A. (2021). *Decorative Building Materials*. Tashkent.
2. Mirzayev, Sh.M. (2022). *Modern Building Materials and Products*. Tashkent: Iqtisodiyot.
3. Odilxo‘jayev, A.E. (2020). *Building Materials* (Educational Manual). Tashkent.